

2004

Synthesis and Aldehyde Absorption Properties of Aspartate-octacalcium Phosphate Inclusion Compound

S. Aoki, A. Nakahira, H. Nakayama, K. Sakamoto, S. Yamaguchi, and K. Suganuma

Journal of Phys. Chem. Solids, **65**(2-3), 465-470 (2004).

Intercalation of Amino Acids and Peptides into Layered Double Hydroxide by Reconstruction Method

H. Nakayama, N. Wada, and M. Tsuchioka

Int. J. Pharm., **269**(2), 469-478 (2004). **Selected as most cited paper in Int. J. Pharm., 2004**

Intercalation of Mercaptocarboxylic Acid into Layered Double Hydroxide Accompanied with Oxidation of Mercapto Group

H. Nakayama, S. Hirami, and M. Tsuchioka

Chem. Lett., **33**(6), 712-713 (2004).

Tetrabutylammonium Phosphomolybdate on Fluorapatite: an Efficient Solid Catalyst for Solvent-free Selective Oxidation of Sulfides

Y. Sasaki, K. Ushimaru, K. Iteya, H. Nakayama, S. Yamaguchi, and J. Ichihara

Tetrahedron Lett., **45**(52), 9513-9515 (2004).

Phosphorylation of Methylamine with Inorganic Monoimido-*cyclo*-triphosphate

H. Inoue, H. Nakayama, M. Tsuchioka, H. Maki, H. Nariai, and T. Eguchi

Phosphorus Res. Bull., **17**, 170-173 (2004).

Adsorption of Fragrance Gases with Aldehyde Group by Linear Amine-intercalated α -Zirconium Phosphate

A. Hayashi, H. Katsuta, A. Tsuruta, H. Nakayama, and M. Tsuchioka

Phosphorus Res. Bull., **17**, 107-112 (2004).

Pore Analyses of Zeolites and Microporous Crystals by ^1H and ^{19}F NMR Relaxation Time Measurements

H. Nakayama, and T. Eguchi

Trends in Applied Spectroscopy, **5**, 99 - 115 (2004).

^{129}Xe NMR Spectroscopy and ^{129}Xe Chemical Shift Anisotropy as a Probe to Examine Physico-chemical Properties of Micropores

T. Ueda, H. Nakayama, and T. Eguchi

Trends in Applied Spectroscopy, **5**, 83 - 97 (2004).

「新規製剤用素材としてのハイドロタルサイトの物性と機能性の評価」

中山尋量

The PHARM TECH JAPAN, **20**(6), 1131-1139 (2004).

「無機リン化学と環境化学の接点」

林亜紀、中山尋量、津波古充朝

Phosphorus Lett., **49**, 31-37 (2004).

2003

The Catalytic Activities of Nanoclusters Dispersed on Apatite

J. Ichihara, K. Iteya, H. Kawaguchi, Y. Sasaki, H. Nakayama and S. Yamaguchi

J. Ceram. Process. Res., **4**, 42-44 (2003).

Ordering and Clathrate Hydrate Formation in Co-deposits of Xenon and Water at Low Temperatures

H. Nakayama, D. D. Klug, C. T. Ratcliffe and J. A. Ripmeester

Chem. Eur. J., **9**(13), 2969-2973 (2003).

Stereoselective Phosphorylation of Branched Cyclodextrins with Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama, M. Tsuhako

Carbohydr. Res., **338**(20), 2067-2074 (2003).

Preparation of 1-Hydroxyethylidene-1,1-diphosphonic acid-Layered Double Hydroxide Nanocomposite and its Physicochemical Properties

H. Nakayama, K. Takeshita and M. Tsuhako

J. Pharm. Sci., **92**(12), 2428-2435 (2003).

Adsorption of Phenols by Alkylamine-intercalated Layered Zirconium Phosphate

A. Hayashi, H. Nakayama and M. Tsuhako

Bull. Chem. Soc. Jpn., **76**(12), 2315-2319 (2003).

Phosphorylation of Maltotriose by Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama, and M. Tsuhako

Phosphorus Res. Bull., **16**, 11-18 (2003).

Intercalation of 1,3-Diamine-2-hydroxypropane into α -Zirconium Phosphate for the Adsorption of Perfume Gas

A. Hayashi, C. Sekigawa, S. Kinoshita, H. Nakayama, and M. Tsuhako

Phosphorus Res. Bull., **16**, 19-26 (2003).

「シックハウス対策を目指した機能性層状リン酸塩の開発」

津波古充朝・中山尋量

Journal of the Society of Inorganic Materials, Japan, **9**, 466-472 (2003).

2002

Synthesis of A New Template Free Microporous Silicoaluminophosphate (Si₂AlP₃O₁₃) and its Characterization by Solid-State NMR

H. Nakayama, H. Kataoka, C. Sumita, Y. Taketani and M. Tsuchiko

Microporous Mesoporous Mater., **51**(1), 7-15 (2002).

Formaldehyde Adsorption Mechanism of Diethylenetriamine Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, M. Tsuchiko, T. Eguchi, and N. Nakamura

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2023-2024 (2002).

Phosphorylation of Amino Alcohols by Inorganic *cyclo*-Triphosphate

H. Inoue, H. Nakayama, and M. Tsuchiko

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2021-2022 (2002).

The Physicochemical Properties of Ammonium-exchanged Aluminum Dihydrogen Triphosphate Dihydrate

A. Hayashi, Y. Yamamoto, K. Kouzuma, H. Nakayama, and M. Tsuchiko

Phosphorus, Sulfur Silicon Relat. Elem., **177**(8-9), 1913-1914 (2002).

The Catalytic Activities of Poly Acid/Apatites in the Epoxidation Using Urea-Hydrogen Peroxide

J. Ichihara, S. Yamaguchi, H. Nakayama, K. Iteya, T. Shinkawa, and Y. Sasaki

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2215-2216 (2002).

Aldehyde Absorption with Asp-OCP Inclusion Compound

S. Aoki, S. Yamaguchi, A. Nakahira, H. Nakayama, and K. Suganuma

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2259 (2002).

Adsorption of Formaldehyde by Polyamine-Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, T. Eguchi, N. Nakamura and M. Tsuchiko

Solid State Sci., **4**(8), 1067-1070 (2002).

Intercalation of 2-Aminoethanethiol into Layered Titanium Phosphate and its Adsorption of Heavy Metal Ions

A. Hayashi, H. Nakayama and M. Tsuchiko

Bull. Chem. Soc. Jpn., **75**(9) 1991-1996 (2002). **Selected as selected papers in**

Bull. Chem. Soc. Jpn., volume 75, issue 9

Unusual Adsorption Mechanism of Carboxylic Acid Gases by Polyamine-Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, T. Eguchi, N. Nakamura and M. Tsuhako
J. Mater. Chem., **12**(10), 3093-3099 (2002).

Keggin-type Polyacid Clusters on Apatite: Characteristic Catalytic Activities in Solvent-free Oxidation

J. Ichihara, S. Yamaguchi, T. Nomoto, H. Nakayama, K. Iteya, N. Naitoh, and Y. Sasaki
Tetrahedron Lett., **43**(46), 8231-8234 (2002).

Phosphorylation of Disaccharides with Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama and M. Tsuhako
Chem. Pharm. Bull., **50**(11), 1453-1459 (2002).

On-line Analysis of Organic Phosphorus Compounds with P-O-C and P-C Bonds

H. Inoue, H. Nakayama and M. Tsuhako
Phosphorus Res. Bull., **14**, 1-8 (2002).

New Functional Phosphates and Their Characterization by Solid-state NMR

H. Nakayama, and M. Tsuhako
Recent Res. Devel. Chem. Pharm. Sci., **2**, 47-63 (2002).

Phosphorylation of Organic Compounds by Inorganic *cyclo*-Triphosphate,

H. Inoue, H. Nakayama, and M. Tsuhako
Recent Res. Devel. Chem. Pharm. Sci., **2**, 31-46 (2002).

「¹²⁹Xe NMR をプローブにしたガスハイドレートのキャラクタリゼーション」
中山尋量、尾身洋典、江口太郎、D. D. Klug, J. S. Tse, C. I. Ratcliffe, J. A. Ripmeester
The Review of High Pressure Science and Technology (高圧力の科学と技術)、**12**(1), 10-15 (2002).

2001

High-Pressure ¹²⁹Xe NMR Study of Supercritical Xenon Interacting with Polymers

B. Nagasaka, H. Omi, T. Eguchi, H. Nakayama and N. Nakamura
Chem. Phys. Lett., **340**, 473-478 (2001).

Syntheses of *N*-(ω -Hydroxyalkyl)triphosphoramidates by Inorganic

***cyclo*-Triphosphate**

H. Inoue, H. Nakayama, and M. Tsuhako
Phosphorus Res. Bull., **12**, 65-72 (2001).

Solid-state NMR Investigation of Basic Amino Acids Intercalated into Layered Zirconium Phosphates

A. Hayashi, S. Saito, Y. Nakatani, A. Nishiyama, Y. Matsumura, H. Nakayama, and M. Tsuhako
Phosphorus Res. Bull., **12**, 129-138 (2001).

「Pillar を利用した層状リン酸塩のインターカレーション化合物」

中山尋量

Phosphorus Lett., **40**, 10-15 (2001).

「核磁気共鳴 (NMR) によるナノ無機マテリアルの評価」

中山尋量

Journal of the Society of Inorganic Materials, Japan, **8**, 615-624 (2001).

2000 年

A One-step Phosphorylation of D-Aldohexoses and D-Aldopentoses with Inorganic *cyclo*-Triphosphate

H. Inoue, H. Nakayama and M. Tsuhako
Carbohydr. Res., **324**(1), 10-16 (2000).

Single Strand Conformation Polymorphism Analysis of Ras Oncogene by Capillary Electrophoresis with Laser-induced Fluorescence Detector

A. Nishimura and M. Tsuhako
Chem. Pharm. Bull., **48**(6), 774-778 (2000).

Phosphorylation of D-Glucose Derivatives with Inorganic *cyclo*-Triphosphate: Substituent Effect at the 5-CH₂OH or 2-OH Group

H. Inoue, M. Watanabe, H. Nakayama and M. Tsuhako
Chem. Pharm. Bull., **48**(6), 802-807 (2000).

Adsorption of Carboxylic Acid by Diethylenetriamine Intercalation Compound of α -Zr(HPO₄)₂•H₂O

A. Hayashi, H. Nakayama, M. Tsuhako, T. Eguchi and N. Nakamura
Mol. Cryst. Liq. Cryst., **341**, 573-578 (2000).

Interlayer Reaction of Polyamine / α -Zirconium Phosphate Intercalation Compounds with Some Aldehydes

M. Kaneno, S. Yamaguchi, H. Nakayama, K. Miyakubo, T. Ueda, T. Eguchi and N. Nakamura

Mol. Cryst. Liq. Cryst., **341**, 561-566 (2000).

Positron Annihilation and ^{129}Xe NMR Studies of Free Volume in Polymers

C. Nagasaka, T. Eguchi, H. Nakayama, N. Nakamura, and Y. Ito

Radiat. Phys. Chem., **58**, 581-585 (2000).

「機能性材料としての層状リン酸塩の特性とその用途開発」

津波古充朝・中山尋量

Journal of the Society of Inorganic Materials, Japan, **7**, 679-684 (2000).

1999

Simultaneous Analysis of PCR Products by Capillary Electrophoresis with a Laser-Induced Fluorescence Detector Using Stepwise Electric Field Strength

C. Sumita, M. Tsuchiko, and Y. Baba

Chem. Pharm. Bull., 1999, **47**(1), 111-113.

Solid State Studies (X-ray and ^1H , ^{13}C NMR) on $(\text{NMe}_4)_{4-x}[\text{H}_x\text{Ni}_{12}(\text{CO})_{21}]$ ($x = 1, 2$)

J. V. Barkley, T. Eguchi, R. A. Harding, B. T. Heaton, G. Longoni, L. Manzi, H. Nakayama, K. Miyagi, A. K. Smith, A. Steiner

J. Organometal. Chem., 1999 **573**(1-2), 254-260.

Intercalation of α,ω -Alanediamines in Layered Aluminium Dihydrogen Triphosphate Dihydrate

A. Hayashi, H. Nakayama, M. Tsuchiko, T. Eguchi, and N. Nakamura

J. Inclusion. Phenom., 1999 **34**(4), 401-41.

Molecular Motion and Plastic-Phase Transition of Crystalline C_2F_6 as Studied by ^{19}F NMR

T. Asanuma, H. Nakayama, T. Eguchi, and N. Nakamura

Mol. Cryst. Liq. Cryst., **326**, 395-407 (1999).

Synthesis and Characterization of n -Alkylamine Intercalation Compounds of $\gamma\text{-Ce}(\text{H}_2\text{PO}_4)(\text{PO}_4) \cdot 1.33\text{H}_2\text{O}$

H. Nakayama, M. Danjo, M. Tsuchiko, T. Eguchi and N. Nakamura

Phosphorus Res. Bull., **9**, 55-62 (1999).

Structure and Organic Gas-adsorption Properties of Polyamine Intercalated α -Zirconium Phosphate

M. Danjo, A. Hayashi, H. Nakayama, Y. Kimura, T. Shimizu, Y. Mizoguchi, Y. Yagita, M. Tsuchiko, H. Nariai and I. Motooka

Bull. Chem. Soc. Jpn., **72**(9), 2079-2084 (1999)

^1H and ^{129}Xe NMR Investigation of the Microporous Structure of Dealuminated H-Mordenite Probed by Methane and Xenon

J. Nagano, T. Eguchi, T. Asanuma, H. Masui, H. Nakayama, N. Nakamura and E.G. Derouane

Microporous and Mesoporous Materials, **33**(1-3), 249-256 (1999).

Syntheses of Intercalation Compounds of Tetraamine in $\alpha\text{-Zr}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$ and the Structures of Guest Molecules by Solid State NMR

M. Kaneno, S. Yamaguchi, H. Nakayama, K. Miyakubo, T. Ueda, T. Eguchi and N. Nakamura

J. Inorg. Mater., **1**(5-6), 379-384 (1999).

1998

Analysis of Variable Number of Tandem Repeats of Human Genome D1S80 Locus Using Capillary Electrophoresis with Laser-Induced Fluorescence Detector

A. Nishimura, M. Tsuchiko, and Y. Baba

Chem. Pharm. Bull., 1998, **46**(10), 1639-1642.

Analysis of Variable Number of Tandem Repeats in a Heart Disease Gene by Capillary Electrophoresis with Laser-Induced Fluorescence Detection

A. Nishimura, M. Tsuchiko, T. Miki, T. Ogihara, and Y. Baba

Chem. Pharm. Bull., 1998, **46**(2), 294-7.

Enhanced Separation of DNA Sequencing Products by Capillary Electrophoresis Using a Stepwise Gradient of Electric Field Strength

H. Inoue, M. Tsuchiko, and Y. Baba

J. Chromatogr. A, 1998, **802**, 179-184.

Selective Synthesis of $\beta\text{-D-Glucopyranosyl 1-triphosphate}$ as Studied by the Reaction of D-Glucopyranose and Inorganic *cyclo*-Triphosphate

Hideko Inoue, Mari Watanabe, Hirokazu Nakayama, and Mitsutomo Tsuchiko

Chem. Pharm. Bull., 1998, **46**(4), 681-3.

Dynamic Properties and Phase Transitions in A_2ZnBr_4 ($\text{A}=\text{N}(\text{CH}_3)_4$, $\text{P}(\text{CH}_3)_4$) as Studied by ^{79}Br NQR and Multinuclear NMR

H. Tada, H. Nakayama and N. Nakamura

Z. Naturforsch. (a), 1998 **53**(6/7) 459-465.

Characterization of Polymorphic Cerium Phosphates as Studied by Solid-state High-resolution ^{31}P NMR

H. Nakayama, A. Hayashi, M. Tsuchiko, T. Eguchi and N. Nakamura

Phosphorus Res. Bull., 1998, **8**, 89-94.

**^{19}F NMR Study on $\text{C}_n\text{F}_{2n+2}$ ($n = 1$ and 2) Adsorbed in Na-mordenite :
Dynamic Behavior and Host-guest Interaction,**

T. Asanuma, H. Nakayama, T. Eguchi and N. Nakamura
J. Chem. Soc. Faraday Trans., 1998 **94**(23), 3521-3526.

**H-motion in $\text{H}_4\text{Ru}_4(\text{CO})_{12}\text{L}_x$ ($x=0, 1$; $\text{L}=\text{P}(\text{OMe})_3$) from Solid State NMR
Studies**

R. A. Harding, H. Nakayama, T. Eguchi, N. Nakamura, B. T. Heaton, and A.
K. Smith
Polyhedron, 1998 **17**(17), 2857-2863.

「固体高分解能 NMR による無機リン酸塩化合物のキャラクタリゼーション」
中山尋量

Phosphorus Lett., **32**, 22-26 (1998).

1997

**Preparation of Chemical Properties of a Novel Layered Cerium (IV)
Phosphate**

M. Tsuchiko, M. Danjo, Y. Baba, M. Tsuchiko, M. Murakami, H. Nariai, and I.
Motooka
Bull. Chem. Soc. Jpn., 1997, **70**(1), 143-8.

**^{13}C NMR of Transition Metal Carbonyl Clusters through Intermolecular
Cross-Polarization Transfer in the Solid State**

T. Eguchi, R.A. Harding, B.T. Heaton, G. Longoni, K. Miyagi, J. Nähring, N.
Nakamura, H. Nakayama and A.K. Smith
J. Chem. Soc. Dalton Trans., 1997, **4**, 479-84.

**Intercalation of Methylene Blue into Layered Phosphates in the Presence of
n-Butylamine and Function of Pillar in the Intercalation Reaction**

M. Danjo, M. Tsuchiko, H. Nakayama, T. Eguchi, N. Nakamura, S.
Yamaguchi, H. Nariai and I. Motooka
Bull. Chem. Soc. Jpn., 1997, **70**(5), 1053-60.

**Assignment of Phosphate Groups in Layered Phosphate by High Resolution
Solid State ^{31}P NMR**

H. Nakayama, T. Eguchi, N. Nakamura, S. Yamaguchi, M. Danjo and M.
Tsuchiko
J. Materials Chem., 1997, **7**(6), 1063-6.

Methanol: Clathrate Hydrate Former or Inhibitor?

H. Nakayama, D. H. Brouwer, Y. P. Handa, D. D. Klug, J. S. Tse, C. I. Ratcliffe, X. Zhu, J. A. Ripmeester
Am. Chem. Soc., Div. Fuel Chem., 1997, **42**, 516-20.

"Magnetic Properties of Oxygen Physisorbed in Cu-trans-1,4-cyclohexanedicarboxylic Acid"

W. Mori, T. C. Kobayashi, J. Kurobe, K. Amaya, Y. Narumi, T. Kumada, K. Kindo, H.A. Katori, T. Goto, N. Miura, S. Takamizawa, H. Nakayama and K. Yamaguchi
Mol. Cryst. Liq. Cryst., 1997, **306**, 1-7.

Synthesis of New Adsorbent Copper(II) Terephthalate

W. Mori, F. Inoue, K. Yoshida, H. Nakayama, S. Takamizawa and M. Kishita,
Chem. Lett., 1997, 1219-20.

Intercalation of Anticancer Agent Cytarabine and Its Related Compounds into γ -Titanium Phosphate

M. Danjo, Y. Mizuguchi, Y. Yagita, K. Kakiguchi, T. Yanagida, and M. Tsuhako
Bull. Chem. Soc. Jpn., 1997, **70**(12), 3011-5.

1996

Catalytic Properties of Aluminum Phosphates Prepared in Organic Solvents

A. Tada, N. Okazaki, Y. Murakami, K. Sakamoto, M. Tsuhako
Phosphorus Res. Bull., 1996, **6**, 197-200.

Effect of Phosphoric Acid on Thermal Phase Transformation of Crystalline Aluminium Phosphates

K. Sakamoto, T. Tsunawaki, H. Nakayama, S. Yamaguchi, J. Ichihara and M. Tsuhako
Phosphorus Res. Bull., 1996, **6**, 265-8.