

Publication List

2007 年

Intercalation Behavior of L-Ascorbic Acid into Layered Double Hydroxides

S. Aisawa, N. Higashiyama, S. Takahashi, H. Hirahara, D. Ikematsu, H. Kondo, H. Nakayama, and E. Narita
Applied Clay Sci., **35**(3-4), 146-154 (2007).

Phosphorylation of D-Glucose and Gluco-oligosaccharides with Diimido-cyclo-triphosphate

H. Maeda, H. Nakayama, H. Nariai, and M. Tsuchioka
Phosphorus Res. Bull., **21**, 38-43 (2007).

Influence of Urea Addition on Preparation and Acidic Properties of Amorphous Lanthanum Pyrophosphate

H. Onoda, Y. Ishima, H. Nakayama, and I. Tanaka
Phosphorus Res. Bull., **21**, 53-59 (2007).

Selective Adsorption of Mercury Ions by Mercaptocarboxylic Acid Intercalated Mg-Al Layered Double Hydroxide

H. Nakayama, S. Hirami, and M. Tsuchioka
J. Colloid Interface Sci., **315**(1), 177-183 (2007).

Phosphorylation of Saccharides by Inorganic cyclo-Triphosphate

H. Maeda, H. Nakayama, and M. Tsuchioka
Phosphorus Res. Bull., **21**, 103-110 (2007).

2006 年

Intercalation of Glucosamine and Chitosan into Layered Zirconium Phosphates

A. Hayashi, Y. Nakabayashi, J. Yasutomi, H. Nakayama, and M. Tsuchioka
Bull. Chem. Soc. Jpn., **79**(2), 262-269 (2006).

Synthesis of *p*-Sulfonated Calix[4]arene-intercalated Layered Double Hydroxides and Their Adsorption Properties for Organic Molecules

S. Sasaki, S. Aisawa, H. Hirahara, A. Sasaki, H. Nakayama and E. Narita
J. Eur. Cer. Soc., **26**(4,5) 655-659 (2006).

Synthesis and Adsorption Properties of *p*-Sulfonated Calix[4 and 6]arene-intercalated Layered Double Hydroxides

S. Sasaki, S. Aisawa, H. Hirahara, A. Sasaki, H. Nakayama, and E. Narita
J. Solid State Chem., **179**(4), 1129-1135 (2006).

Hydrolyses of Calcium Phosphates-allografts Composite in Physiological Solutions

T. Nomoto, K. Haraguchi, S. Yamaguchi, N. Sugano, H. Nakayama, T. Sekino, and K. Niihara

J. Mater. Sci. Mater. Med., **17**(4), 379-385 (2006).

Intercalation of Amino Acids and Oligopeptides into Zn-Al Layered Double Hydroxide by Coprecipitation Reaction

S. Aisawa, S. Sasaki, S. Takahashi, H. Hirahara, H. Nakayama, and E. Narita

J. Phys. Chem. Solids, **67**(5-6), 920-925 (2006).

Phosphorylation of D-Glucose Derivatives with Inorganic Monoimido-*cyclo*-triphosphate

H. Inoue, T. Yamada, H. Nakayama, and M. Tsuchiko

Chem. Pharm. Bull., **54**(10), 1397-1402 (2006).

2005 年

Adsorption of Gaseous Formaldehyde and Carboxylic Acids by Ammonium-exchanged α -Zirconium Phosphate

A. Hayashi, Y. Fujimoto, Y. Ogawa, H. Nakayama, and M. Tsuchiko

J. Colloid Interface Sci., **281**(1), 57-63 (2005).

Regioselective Phosphorylation of Branched Cyclodextrins with Inorganic Mono- μ -imidotriphosphate

H. Inoue, T. Kawashita, H. Nakayama, and M. Tsuchiko

Carbohydr. Res., **340**(11), 1766-1772 (2005).

Adsorption of Gaseous Thiols and Sulfides by Ag^+ ion-exchanged Aluminium Dihydrogen Triphosphate

A. Hayashi, H. Saimen, N. Watanabe, H. Kimura, A. Kobayashi, H. Nakayama, and M. Tsuchiko

Langmuir, **21**(16), 7238-7242 (2005).

Syntheses of Organic Phosphorus Compounds with -NH-P-NH- and -NH-P-O- Bonds by Inorganic Monoimido-*cyclo*-triphosphate

H. Inoue, H. Nakayama, H. Nariai, and M. Tsuchiko

Phosphorus Res. Bull., **19**, 319-324 (2005).

Preparation of Nano-porous Aluminum Phosphate Using Urea and hexamethylenetetramine

H. Onoda, S. Ukita, A. Hayashi, A. Takenaka, and K. Kojima

Phosphorus Res. Bull., **19**, 209-214 (2005).

「水溶液中での無機環状三リン酸塩による糖のリン酸化反応」

前田秀子、中山尋量、津波古充朝

Phosphorus Lett., **54**, 4 – 9 (2005).

「層状リン酸塩」

中山尋量、津波古充朝

無機ナノシートの科学と応用、黒田一幸、佐々木高義編、シーエムシー出版、
pp. 48 - 55 (2005).

2004 年

Synthesis and Aldehyde Absorption Properties of Aspartate-octacalcium Phosphate Inclusion Compound

S. Aoki, A. Nakahira, H. Nakayama, K. Sakamoto, S. Yamaguchi, and K. Suganuma

Journal of Phys. Chem. Solids, **65**(2-3), 465-470 (2004).

Intercalation of Amino Acids and Peptides into Layered Double Hydroxide by Reconstruction Method

H. Nakayama, N. Wada, and M. Tsuchioka

Int. J. Pharm., **269**(2), 469-478 (2004).

Intercalation of Mercaptocarboxylic Acid into Layered Double Hydroxide Accompanied with Oxidation of Mercapto Group

H. Nakayama, S. Hirami, and M. Tsuchioka

Chem. Lett., **33**(6), 712-713 (2004).

Tetrabutylammonium Phosphomolybdate on Fluorapatite: an Efficient Solid Catalyst for Solvent-free Selective Oxidation of Sulfides

Y. Sasaki, K. Ushimaru, K. Iteya, H. Nakayama, S. Yamaguchi, and J. Ichihara

Tetrahedron Lett., **45**(52), 9513-9515 (2004).

Phosphorylation of Methylamine with Inorganic Monoimido-cyclo-triphosphate

H. Inoue, H. Nakayama, M. Tsuchioka, H. Maki, H. Nariai, and T. Eguchi

Phosphorus Res. Bull., **17**, 170-173 (2004).

Adsorption of Fragrance Gases with Aldehyde Group by Linear Amine-intercalated α -Zirconium Phosphate

A. Hayashi, H. Katsuta, A. Tsuruta, H. Nakayama, and M. Tsuchioka

Phosphorus Res. Bull., **17**, 107-112 (2004).

Pore Analyses of Zeolites and Microporous Crystals by ^1H and ^{19}F NMR Relaxation Time Measurements

H. Nakayama, and T. Eguchi

Trends in Applied Spectroscopy, **5**, 99 - 115 (2004).

^{129}Xe NMR Spectroscopy and ^{129}Xe Chemical Shift Anisotropy as a Probe to Examine Physico-chemical Properties of Micropores

T. Ueda, H. Nakayama, and T. Eguchi

Trends in Applied Spectroscopy, **5**, 83 - 97 (2004).

「新規製剤用素材としてのハイドロタルサイトの物性と機能性の評価」

中山尋量

The PHARM TECH JAPAN, **20**(6), 1131-1139 (2004).

「無機リン化学と環境化学の接点」

林亜紀、中山尋量、津波古充朝

Phosphorus Lett., **49**, 31-37 (2004).

2003 年

The Catalytic Activities of Nanoclusters Dispersed on Apatite

J. Ichihara, K. Iteya, H. Kawaguchi, Y. Sasaki, H. Nakayama and S. Yamaguchi

J. Ceram. Process. Res., **4**, 42-44 (2003).

Ordering and Clathrate Hydrate Formation in Co-deposits of Xenon and Water at Low Temperatures

H. Nakayama, D. D. Klug, C. T. Ratcliffe and J. A. Ripmeester

Chem. Eur. J., **9**(13), 2969-2973 (2003).

Stereoselective Phosphorylation of Branched Cyclodextrins with Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama, M. Tsuhako

Carbohydr. Res., **338**(20), 2067-2074 (2003).

Preparation of 1-Hydroxyethylidene-1,1-diphosphonic acid-Layered Double Hydroxide Nanocomposite and its Physicochemical Properties

H. Nakayama, K. Takeshita and M. Tsuhako

J. Pharm. Sci., **92**(12), 2428-2435 (2003).

Adsorption of Phenols by Alkylamine-intercalated Layered Zirconium Phosphate

A. Hayashi, H. Nakayama and M. Tsuhako

Bull. Chem. Soc. Jpn., **76**(12), 2315-2319 (2003).

Phosphorylation of Maltotriose by Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama, and M. Tsuhako

Phosphorus Res. Bull., **16**, 11-18 (2003).

Intercalation of 1,3-Diamine-2-hydroxypropane into α -Zirconium Phosphate for the Adsorption of Perfume Gas

A. Hayashi, C. Sekigawa, S. Kinoshita, H. Nakayama, and M. Tsuhako

Phosphorus Res. Bull., **16**, 19-26 (2003).

「シックハウス対策を目指した機能性層状リン酸塩の開発」

津波古充朝・中山尋量

Journal of the Society of Inorganic Materials, Japan, **9**, 466-472 (2003).

2002 年

Synthesis of A New Template Free Microporous Silicoaluminophosphate ($\text{Si}_2\text{AlP}_3\text{O}_{13}$) and its Characterization by Solid-State NMR

H. Nakayama, H. Kataoka, C. Sumita, Y. Taketani and M. Tsuhako

Microporous Mesoporous Mater., **51**(1), 7-15 (2002).

Formaldehyde Adsorption Mechanism of Diethylenetriamine Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, M. Tsuhako, T. Eguchi, and N. Nakamura

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2023-2024 (2002).

Phosphorylation of Amino Alcohols by Inorganic *cyclo*-Triphosphate

H. Inoue, H. Nakayama, and M. Tsuhako

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2021-2022 (2002).

The Physicochemical Properties of Ammonium-exchanged Aluminum Dihydrogen Triphosphate Dihydrate

A. Hayashi, Y. Yamamoto, K. Kouzuma, H. Nakayama, and M. Tsuhako

Phosphorus, Sulfur Silicon Relat. Elem., **177**(8-9), 1913-1914 (2002).

The Catalytic Activities of Poly Acid/Apatites in the Epoxidation Using Urea-Hydrogen Peroxide

J. Ichihara, S. Yamaguchi, H. Nakayama, K. Iteya, T. Shinkawa, and Y. Sasaki

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2215-2216 (2002).

Aldehyde Absorption with Asp-OCP Inclusion Compound

S. Aoki, S. Yamaguchi, A. Nakahira, H. Nakayama, and K. Suganuma

Phosphorus, Sulfur Silicon Relat. Elem., **177**(7-8), 2259 (2002).

Adsorption of Formaldehyde by Polyamine-Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, T. Eguchi, N. Nakamura and M. Tsuhako
Solid State Sci., **4**(8), 1067-1070 (2002).

Intercalation of 2-Aminoethanethiol into Layered Titanium Phosphate and its Adsorption of Heavy Metal Ions

A. Hayashi, H. Nakayama and M. Tsuhako
Bull. Chem. Soc. Jpn., **75**(9) 1991-1996 (2002).

Unusual Adsorption Mechanism of Carboxylic Acid Gases by Polyamine-Intercalated α -Zirconium Phosphate

H. Nakayama, A. Hayashi, T. Eguchi, N. Nakamura and M. Tsuhako
J. Mater. Chem., **12**(10), 3093-3099 (2002).

Keggin-type Polyacid Clusters on Apatite: Characteristic Catalytic Activities in Solvent-free Oxidation

J. Ichihara, S. Yamaguchi, T. Nomoto, H. Nakayama, K. Iteya, N. Naitoh, and Y. Sasaki
Tetrahedron Lett., **43**(46), 8231-8234 (2002).

Phosphorylation of Disaccharides with Inorganic *cyclo*-Triphosphate

H. Inoue, N. Tone, H. Nakayama and M. Tsuhako
Chem. Pharm. Bull., **50**(11), 1453-1459 (2002).

On-line Analysis of Organic Phosphorus Compounds with P-O-C and P-C Bonds

H. Inoue, H. Nakayama and M. Tsuhako
Phosphorus Res. Bull., **14**, 1-8 (2002).

New Functional Phosphates and Their Characterization by Solid-state NMR

H. Nakayama, and M. Tsuhako
Recent Res. Devel. Chem. Pharm. Sci., **2**, 47-63 (2002).

Phosphorylation of Organic Compounds by Inorganic *cyclo*-Triphosphate,

H. Inoue, H. Nakayama, and M. Tsuhako
Recent Res. Devel. Chem. Pharm. Sci., **2**, 31-46 (2002).

「¹²⁹Xe NMR をプローブにしたガスハイドレートのキャラクタリゼーション」
中山尋量、尾身洋典、江口太郎、D. D. Klug, J. S. Tse, C. I. Ratcliffe, J. A. Ripmeester
The Review of High Pressure Science and Technology (高圧力の科学と技術)、
12(1), 10-15 (2002).

2001 年

High-Pressure ^{129}Xe NMR Study of Supercritical Xenon Interacting with Polymers

B. Nagasaka, H. Omi, T. Eguchi, H. Nakayama and N. Nakamura
Chem. Phys. Lett., **340**, 473-478 (2001).

Syntheses of *N*-(ω -Hydroxyalkyl)triphosphoramidates by Inorganic *cyclo*-Triphosphate

H. Inoue, H. Nakayama, and M. Tsuhako
Phosphorus Res. Bull., **12**, 65-72 (2001).

Solid-state NMR Investigation of Basic Amino Acids Intercalated into Layered Zirconium Phosphates

A. Hayashi, S. Saito, Y. Nakatani, A. Nishiyama, Y. Matsumura, H. Nakayama, and M. Tsuhako
Phosphorus Res. Bull., **12**, 129-138 (2001).

「Pillar を利用した層状リン酸塩のインターカレーション化合物」

中山尋量

Phosphorus Lett., **40**, 10-15 (2001).

「核磁気共鳴 (NMR) によるナノ無機マテリアルの評価」

中山尋量

Journal of the Society of Inorganic Materials, Japan, **8**, 615-624 (2001).

2000 年

A One-step Phosphorylation of D-Aldohexoses and D-Aldopentoses with Inorganic *cyclo*-Triphosphate

H. Inoue, H. Nakayama and M. Tsuhako
Carbohydr. Res., **324**(1), 10-16 (2000).

Single Strand Conformation Polymorphism Analysis of Ras Oncogene by Capillary Electrophoresis with Laser-induced Fluorescence Detector

A. Nishimura and M. Tsuhako
Chem. Pharm. Bull., **48**(6), 774-778 (2000).

Phosphorylation of D-Glucose Derivatives with Inorganic *cyclo*-Triphosphate: Substituent Effect at the 5-CH₂OH or 2-OH Group

H. Inoue, M. Watanabe, H. Nakayama and M. Tsuhako
Chem. Pharm. Bull., **48**(6), 802-807 (2000).

Adsorption of Carboxylic Acid by Diethylenetriamine Intercalation

Compound of α -Zr(HPO₄)₂•H₂O

A. Hayashi, H. Nakayama, M. Tsuhako, T. Eguchi and N. Nakamura
Mol. Cryst. Liq. Cryst., **341**, 573-578 (2000).

Interlayer Reaction of Polyamine / α -Zirconium Phosphate Intercalation Compounds with Some Aldehydes

M. Kaneno, S. Yamaguchi, H. Nakayama, K. Miyakubo, T. Ueda, T. Eguchi and N. Nakamura
Mol. Cryst. Liq. Cryst., **341**, 561-566 (2000).

Positron Annihilation and ¹²⁹Xe NMR Studies of Free Volume in Polymers

C. Nagasaka, T. Eguchi, H. Nakayama, N. Nakamura, and Y. Ito
Radiat. Phys. Chem., **58**, 581-585 (2000).

「機能性材料としての層状リン酸塩の特性とその用途開発」

津波古充朝・中山尋量

Journal of the Society of Inorganic Materials, Japan, **7**, 679-684 (2000).

1999 年

Simultaneous Analysis of PCR Products by Capillary Electrophoresis with a Laser-Induced Fluorescence Detector Using Stepwise Electric Field Strength

C. Sumita, M. Tsuhako, and Y. Baba
Chem. Pharm. Bull., 1999, **47**(1), 111-113.

Solid State Studies (X-ray and ¹H, ¹³C NMR) on (NMe₄)_{4-x}[H_xNi₁₂(CO)₂₁] (x = 1, 2)

J. V. Barkley, T. Eguchi, R. A. Harding, B. T. Heaton, G. Longoni, L. Manzi, H. Nakayama, K. Miyagi, A. K. Smith, A. Steiner
J. Organometal. Chem., 1999 **573**(1-2), 254-260.

Intercalation of α,ω -Alanediamines in Layered Aluminium Dihydrogen Triphosphate Dihydrate

A. Hayashi, H. Nakayama, M. Tsuhako, T. Eguchi, and N. Nakamura
J. Inclusion. Phenom., 1999 **34**(4), 401-41.

Molecular Motion and Plastic-Phase Transition of Crystalline C₂F₆ as Studied by ¹⁹F NMR

T. Asanuma, H. Nakayama, T. Eguchi, and N. Nakamura
Mol. Cryst. Liq. Cryst., **326**, 395-407 (1999).

Synthesis and Characterization of *n*-Alkylamine Intercalation Compounds of γ -Ce(H₂PO₄)(PO₄)•1.33H₂O

H. Nakayama, M. Danjo, M. Tsuchiko, T. Eguchi and N. Nakamura
Phosphorus Res. Bull., **9**, 55-62 (1999).

Structure and Organic Gas-adsorption Properties of Polyamine Intercalated α -Zirconium Phosphate

M. Danjo, A. Hayashi, H. Nakayama, Y. Kimura, T. Shimizu, Y. Mizoguchi, Y. Yagita, M. Tsuchiko, H. Nariai and I. Motooka
Bull. Chem. Soc. Jpn., **72**(9), 2079-2084 (1999)

^1H and ^{129}Xe NMR Investigation of the Microporous Structure of Dealuminated H-Mordenite Probed by Methane and Xenon

J. Nagano, T. Eguchi, T. Asanuma, H. Masui, H. Nakayama, N. Nakamura and E.G. Derouane
Microporous and Mesoporous Materials, **33**(1-3), 249-256 (1999).

Syntheses of Intercalation Compounds of Tetraamine in α -Zr(HPO₄)₂·H₂O and the Structures of Guest Molecules by Solid State NMR

M. Kaneno, S. Yamaguchi, H. Nakayama, K. Miyakubo, T. Ueda, T. Eguchi and N. Nakamura
J. Inorg. Mater., **1**(5-6), 379-384 (1999).

1998 年

Analysis of Variable Number of Tandem Repeats of Human Genome D1S80 Locus Using Capillary Electrophoresis with Laser-Induced Fluorescence Detector

A. Nishimura, M. Tsuchiko, and Y. Baba
Chem. Pharm. Bull., 1998, **46**(10), 1639-1642.

Analysis of Variable Number of Tandem Repeats in a Heart Disease Gene by Capillary Electrophoresis with Laser-Induced Fluorescence Detection

A. Nishimura, M. Tsuchiko, T. Miki, T. Ogihara, and Y. Baba
Chem. Pharm. Bull., 1998, **46**(2), 294-7.

Enhanced Separation of DNA Sequencing Products by Capillary Electrophoresis Using a Stepwise Gradient of Electric Field Strength

H. Inoue, M. Tsuchiko, and Y. Baba
J. Chromatogr. A, 1998, **802**, 179-184.

Selective Synthesis of β -D-Glucopyranosyl 1-triphosphate as Studied by the Reaction of D-Glucopyranose and Inorganic *cyclo*-Triphosphate

Hideko Inoue, Mari Watanabe, Hirokazu Nakayama, and Mitsutomo Tsuchiko
Chem. Pharm. Bull., 1998, **46**(4), 681-3.

Dynamic Properties and Phase Transitions in A_2ZnBr_4 ($A=N(CH_3)_4$, $P(CH_3)_4$) as Studied by ^{79}Br NQR and Multinuclear NMR

H. Tada, H. Nakayama and N. Nakamura

Z. Naturforsch. (a), 1998 **53**(6/7) 459-465.

Characterization of Polymorphic Cerium Phosphates as Studied by Solid-state High-resolution ^{31}P NMR

H. Nakayama, A. Hayashi, M. Tsuhako, T. Eguchi and N. Nakamura

Phosphorus Res. Bull., 1998, **8**, 89-94.

^{19}F NMR Study on C_nF_{2n+2} ($n = 1$ and 2) Adsorbed in Na-mordenite : Dynamic Behavior and Host-guest Interaction,

T. Asanuma, H. Nakayama, T. Eguchi and N. Nakamura

J. Chem. Soc. Faraday Trans., 1998 **94**(23), 3521-3526.

H-motion in $H_4Ru_4(CO)_{12}L_x$ ($x=0, 1$; $L=P(OMe)_3$) from Solid State NMR Studies

R. A. Harding, H. Nakayama, T. Eguchi, N. Nakamura, B. T. Heaton, and A. K. Smith

Polyhedron, 1998 **17**(17), 2857-2863.

**「固体高分解能 NMR による無機リン酸塩化合物のキャラクタリゼーション」
中山尋量**

Phosphorus Lett., **32**, 22-26 (1998).

1997 年

Preparation of Chemical Properties of a Novel Layered Cerium (IV) Phosphate

M. Tsuhako, M. Danjo, Y. Baba, M. Tsuhako, M. Murakami, H. Nariai, and I. Motooka

Bull. Chem. Soc. Jpn., 1997, **70**(1), 143-8.

^{13}C NMR of Transition Metal Carbonyl Clusters through Intermolecular Cross-Polarization Transfer in the Solid State

T. Eguchi, R.A. Harding, B.T. Heaton, G. Longoni, K. Miyagi, J. Nähring, N. Nakamura, H. Nakayama and A.K. Smith

J. Chem. Soc. Dalton Trans., 1997, **4**, 479-84.

Intercalation of Methylene Blue into Layered Phosphates in the Presence of n-Butylamine and Function of Pillar in the Intercalation Reaction

M. Danjo, M. Tsuhako, H. Nakayama, T. Eguchi, N. Nakamura, S. Yamaguchi, H. Nariai and I. Motooka

Bull. Chem. Soc. Jpn., 1997, **70**(5), 1053-60.

Assignment of Phosphate Groups in Layered Phosphate by High Resolution Solid State ³¹P NMR

H. Nakayama, T. Eguchi, N. Nakamura, S. Yamaguchi, M. Danjo and M. Tsuhako

J. Materials Chem., 1997, **7**(6), 1063-6.

Methanol: Clathrate Hydrate Former or Inhibitor?

H. Nakayama, D. H. Brouwer, Y. P. Handa, D. D. Klug, J. S. Tse, C. I. Ratcliffe, X. Zhu, J. A. Ripmeester

Am. Chem. Soc., Div. Fuel Chem., 1997, **42**, 516-20.

"Magnetic Properties of Oxygen Physisorbed in Cu-trans-1,4-cyclohexanedicarboxylic Acid"

W. Mori, T. C. Kobayashi, J. Kurobe, K. Amaya, Y. Narumi, T. Kumada, K. Kindo, H.A. Katori, T. Goto, N. Miura, S. Takamizawa, H. Nakayama and K. Yamaguchi

Mol. Cryst. Liq. Cryst., 1997, **306**, 1-7.

Synthesis of New Adsorbent Copper(II) Terephthalate

W. Mori, F. Inoue, K. Yoshida, H. Nakayama, S. Takamizawa and M. Kishita,

Chem. Lett., 1997, 1219-20.

Intercalation of Anticancer Agent Cytarabine and Its Related Compounds into γ -Titanium Phosphate

M. Danjo, Y. Mizuguchi, Y. Yagita, K. Kakiguchi, T. Yanagida, and M. Tsuhako

Bull. Chem. Soc. Jpn., 1997, **70**(12), 3011-5.

1996 年

Catalytic Properties of Aluminum Phosphates Prepared in Organic Solvents

A. Tada, N. Okazaki, Y. Murakami, K. Sakamoto, M. Tsuhako

Phosphorus Res. Bull., 1996, **6**, 197-200.

Effect of Phosphoric Acid on Thermal Phase Transformation of Crystalline Aluminium Phosphates

K. Sakamoto, T. Tsunawaki, H. Nakayama, S. Yamaguchi, J. Ichihara and M. Tsuhako

Phosphorus Res. Bull., 1996, **6**, 265-8.